

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	(2001/0018644).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 16:10
S2	2	("6256595").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 13:00
S3	2	("5993342").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 13:01
S4	2	("5971589").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 13:06
S5	2	("5886897").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 13:07
S6	2	("5828575").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 13:18
S7	27930	CAD or (computer adj (assisted or aided) adj design)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 13:18
S8	910	((CAD or (computer adj (assisted or aided) adj design)) and (object\$1 or instanc\$2 or icon\$1)) and icon\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 13:19
S9	470	((((CAD or (computer adj (assisted or aided) adj design)) and (object\$1 or instanc\$2 or icon\$1)) and icon\$1) and instanc\$2	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 13:54
S10	6087	part\$1 with librar\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 13:33

S11	516	(part\$1 with librar\$3) and (CAD or (computer adj (assisted or aided) adj design))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 13:36
S12	127	((part\$1 with librar\$3) and (CAD or (computer adj (assisted or aided) adj design))) and icon\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 13:36
S13	2	("6578090").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 13:57
S14	2	("6272672").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 14:07
S15	2	("6014673").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 14:08
S16	2	("6009405").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 14:09
S17	2	("5937388").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 14:09
S18	2	("4901221").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 14:10
S19	2	("4914568").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 14:11
S20	14304	(CAD or (computer adj (assisted or aided) adj design)) and (object\$1 or instanc\$2 or icon\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 14:21

S21	2	("5408659").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 14:28
S22	2	("5675782").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 14:30
S23	2	("5732270").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 14:41
S24	415	autocad	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 14:45
S25	2	("4855993").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 14:46
S26	2	("4,855,993").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 15:18
S27	106	device adj independent adj bitmap\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 15:22
S28	1401	DIB	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 15:20
S29	8	cimage	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 15:22
S30	2	cbitmap	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/03 15:22
S31	117	(715/502).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:13

S32	0	("I19andobject\$1").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:13
S33	106	((715/502).CCLS.) and object\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:14
S34	17	((715/502).CCLS.) and (object\$1 with instance\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:24
S35	129	(345/964).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:25
S36	53	((345/964).CCLS.) and (instance\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:27
S37	9	((345/964).CCLS.) and (instance\$1 near3 object\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:32
S38	1443	(700/182).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:32
S39	13	((700/182).CCLS.) and (instance\$1 near object\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/08/13 14:32
S40	31	render\$3 adj (object adj data)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 14:58
S41	638	autodesk	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 14:55
S42	269	autodesk and CAD	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 14:55
S43	18	autodesk and CAD and (object adj data)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:01

S44	0	(render\$3 adj (object adj data)) and autodesk	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 14:58
S45	0	(render\$3 adj (object adj data)) and autocad	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 14:58
S46	0	"instance of object"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:02
S47	2708	instance\$1 adj object\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:02
S48	661	(instance\$1 adj object\$1) and (object adj data)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:02
S49	91	((instance\$1 adj object\$1) and (object adj data)) and (stor\$3 adj separat\$4)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:06
S50	0	((((instance\$1 adj object\$1) and (object adj data)) and (stor\$3 adj separat\$4)) and (autodesk or autocad))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:03
S51	1	((((instance\$1 adj object\$1) and (object adj data)) and (stor\$3 adj separat\$4)) and CAD	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:05
S52	76	((((instance\$1 adj object\$1) and (object adj data)) and (stor\$3 adj separat\$4)) and (imag\$3 or graphic\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:14
S53	76	(((((instance\$1 adj object\$1) and (object adj data)) and (stor\$3 adj separat\$4)) and (imag\$3 or graphic\$1)) and (pointer\$1 or reference\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:16
S54	425	reference\$1 adj graphic\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:16
S55	11	reference\$1 adj graphic\$1 adj object\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:23

S56	2	(reference\$1 adj graphic\$1 adj object\$1) and missing	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:38
S57	1	"6032150".PN.	USPAT	OR	OFF	2004/09/20 15:32
S58	1	"6014702".PN.	USPAT	OR	OFF	2004/09/20 15:34
S59	2	("6209103").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:40
S60	2	("6298446").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:40
S61	2	("6298446").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/20 15:40
S62	2	("6298446").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:17
S63	284	UUID	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:18
S64	19250	UUIDnear (web adj page\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:19
S65	0	UUID near (web adj page\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:19
S66	0	UUID near5 (web adj page\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:21
S67	2	UUID near5 (URL)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:19
S68	0	UUID with (web adj page\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:21

S69	4	UUID with (url)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:23
S70	9	UUID same (url)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:26
S71	6	(UUID same (url)) and secur\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:28
S72	1	(UUID same (url)) and (secur\$3 near server\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:28
S73	3	(UUID same (url)) and (secur\$3 near5 server\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:36
S74	2	("5,509,070").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 11:37
S75	1400	(713/201).CCLS.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:38
S76	163	((713/201).CCLS.) and (secur\$3 near server\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:38
S77	65	((((713/201).CCLS.) and (secur\$3 near server\$1)) and (graphic\$1 or imag\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:39
S78	45	(((((713/201).CCLS.) and (secur\$3 near server\$1)) and (graphic\$1 or imag\$3)) and (alternative\$1 or substitut\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/23 12:39
S79	0	("URLwithUUID").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 11:32
S80	4	URL with UUID	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 11:32

S81	284	UUID	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 11:37
S82	81	UUID and URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 11:37
S83	0	((UUID and URL) and (secure adj server\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 11:37
S84	61	((UUID and URL) and secure	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 11:38
S85	57	((((UUID and URL) and secure) and instance\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 11:38
S86	43	(((((UUID and URL) and secure) and instance\$1) and (object adj data\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 11:41
S87	2	UUID near5 URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/27 11:41
S88	36	((object adj data) near instance\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:08
S89	20	((((object adj data) near instance\$1) and (imag\$3 or graphic\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:20
S90	2842	graphic\$1 near store\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:20
S91	0	secur\$3 near (graphic\$1 adj store\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:20
S92	0	secur\$3 near5 (graphic\$1 adj store\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:20

S93	0	secur\$3 near (graphic\$1 near store\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:21
S94	0	secur\$3 near5 (graphic\$1 near store\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:21
S95	5	secur\$3 with (graphic\$1 near store\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:29
S96	652	autodesk or (auto adj desk)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:30
S97	38	(autodesk or (auto adj desk)) and (object adj data)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:36
S98	4	((autodesk or (auto adj desk)) and (object adj data)) and web	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:31
S99	2	((autodesk or (auto adj desk)) and (object adj data)) and (missing or unavailable)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:34
S10 0	0	"5809512".PN. and (imag\$3 adj server\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:36
S10 1	0	"5809512".PN. and (graphic\$1 adj server\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:42
S10 2	168	catalog\$1 near object\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:44
S10 3	83	(catalog\$1 near object\$1) and (graphic\$1 or imag\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:44
S10 4	10	(catalog\$1 near object\$1) and (graphic\$1 near object\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 11:59

S10 5	0	(cad or (computer adj aided adj design\$3)) adj catalog\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 12:04
S10 6	60	(cad or (computer adj aided adj design\$3)) with catalog\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 12:02
S10 7	32	((cad or (computer adj aided adj design\$3)) with catalog\$1) and graphic\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 12:03
S10 8	21	((cad or (computer adj aided adj design\$3)) with catalog\$1) and graphic\$1) and secur\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 12:04
S10 9	71	(cad or (computer adj aided adj design\$3)) adj librar\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 12:17
S11 0	28	((cad or (computer adj aided adj design\$3)) adj librar\$3) and secur\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 12:07
S11 1	0	((cad or (computer adj aided adj design\$3)) adj librar\$3) and secur\$3) and password\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 12:07
S11 2	0	((cad or (computer adj aided adj design\$3)) adj librar\$3) and password\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 12:07
S11 3	0	autocad near block\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 12:26
S11 4	179	block adj librar\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 12:27
S11 5	45	CAD and (block adj librar\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:04
S11 6	4	turbocad	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:05

S11 7	49	solidworks	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:10
S11 8	9	solidworks and (network or internet or intranet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:15
S11 9	0	"rhino 3d" and (network or internet or intranet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:15
S12 0	1	intellicad and (network or internet or intranet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:17
S12 1	1	designcad and (network or internet or intranet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:18
S12 2	17	cadkey and (network or internet or intranet)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:29
S12 3	2	("5678039").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:30
S12 4	2	("5671378").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:37
S12 5	670345	dwg or dxf	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:37
S12 6	214	dwg and CAD	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 13:38
S12 7	22	dwg and CAD and virtual	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 15:20
S12 8	2	("6298446").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 15:41

S12 9	2	UUID near URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 15:41
S13 0	2	UUID near2 URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 15:42
S13 1	2	UUID near3 URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 15:42
S13 2	2	UUID near5 URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 15:42
S13 3	4	UUID with URL	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/28 15:42
S13 4	2	("6,298,446").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 09:01
S13 5	2	("5893118").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/30 09:01
S13 6	2	("6,298,446").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 12:40
S13 7	2	("5,893,118").PN.	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/01 12:41
S13 8	330500	(lightweight\$3 or (light adj weight\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 15:38
S13 9	18366	(lightweight\$3 or (light adj weight\$3)) near5 object\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 15:38

S14 0	232	S139 and (object adj orient\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 15:39
S14 1	76	S140 and draw\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 15:39
S14 2	43	S140 and draw\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 15:51
S14 3	9	S142 and ((computer near5 design\$1) or CAD)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 16:34
S14 4	2	("5740456").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 16:35
S14 5	2	("5754190").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 16:36
S14 6	2	("5745121").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 16:36
S14 7	2	("5710880").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/30 16:36
S14 8	15	("5257306" "5347306" "5485211" "5485611" "5506624" "5506954" "5538255" "5572248" "5615287").PN. OR ("5754190"). URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/30 16:39
S14 9	0	S148 and (symbol near5 librar\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/30 16:40
S15 0	0	S148 and (symbol\$1 near5 librar\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/30 16:40

S15 1	492	(symbol\$1 near5 librar\$3)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/30 16:40
S15 2	84	(symbol\$1 near5 librar\$3) same (graphic\$1 or drawing\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/30 16:45
S15 3	7	((symbol\$1 near5 librar\$3) same (graphic\$1 or drawing\$1)) same (remot\$3 or network\$3 or internet\$1 or server\$1)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/30 16:46
S15 4	6997	xref or (external adj reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 10:02
S15 5	9	xref and (external adj reference\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 10:10
S15 6	240	(xref or (external adj reference\$1)) and ((computer near3 design\$1) or CAD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 10:03
S15 7	41	(xref or (external adj reference\$1)) and ((computer near3 design\$1) and CAD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 10:05
S15 8	23	(xref or (external adj reference\$1)) and ((computer near3 design\$1) and CAD)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 10:05
S15 9	459	"intellicad" or "visio"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 10:11
S16 0	1	"intellicad" and "visio"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 10:11
S16 1	4	"intellicad"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 10:11

S16 2	10	(file adj orient\$3) and (CAD or (computer adj aided adj design\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/31 10:12
S16 3	9	xref and CAD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:02
S16 4	201	((external near referenc\$3) or xref\$1) same symbol\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:03
S16 5	0	((external near referenc\$3) or xref\$1) same symbol\$1 same (CAD or (computer adj aided adj design\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:03
S16 6	820	((external near referenc\$3) or xref\$1) same (imag\$3 or graphic\$1 or icon\$1 or symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:04
S16 7	844	((external near (librar\$3 or referenc\$3)) or xref\$1) same (imag\$3 or graphic\$1 or icon\$1 or symbol\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:04
S16 8	156	((external near (librar\$3 or referenc\$3)) or xref\$1) same (imag\$3 or graphic\$1 or icon\$1 or symbol\$1) same (link\$3 or pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:05
S16 9	78	((external near (librar\$3 or referenc\$3)) or xref\$1) same (imag\$3 or graphic\$1 or icon\$1) same (link\$3 or pointer\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:31
S17 0	3	(unresolved near referenc\$3) and (CAD or (computer adj aided adj design\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:32
S17 1	8	(unresolved near referenc\$3) and ((computer adj aided))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/19 15:32

S17 2	499	(remot\$3) with ((sav\$3 or stor\$3) near (object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 16:11
S17 3	94	(remot\$3) near ((sav\$3 or stor\$3) near (object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 16:14
S17 4	2	(remot\$3) near ((sav\$3 or stor\$3) near ((imag\$3 or graphic\$4) near object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 16:20
S17 5	7	(remot\$3) near5 ((sav\$3 or stor\$3) near ((imag\$3 or graphic\$4) near object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/04 16:20